Application No.: 10/603,345 Docket No.: SUPBAG 3.0-001

This listing of claims will replace all prior versions and listings of claims in the application:

## Listing of Claims:

(currently amended) A tamper-indicating bag, comprising:

first and second walls joined together along spaced joining lines to form an enclosure having an open end;

a tamper-evident indicator positioned so as to be disposed between said first wall and said second wall in a sealed condition of said enclosure, said indicator including a backing layer joined to said first wall at said open end of said enclosure, a layer of a release material disposed in a predetermined pattern on said backing layer so as to define first regions in which said release material is present and second regions in which said release material is not present, and a layer of ink disposed in overlieing relationship toover said release material layer, said ink layer including a plurality of void spaces devoid of ink arranged in a selected pattern which is out of registry with said predetermined pattern of said release material so as to define regions of varying shape in which said ink overlies said release material and regions of varying shape in which said ink does not overlie said release material;

a layer of adhesive adapted to secure said first wallindicator to said second wall in saida sealed condition of said enclosure so that said ink layer is disposed between said first wallbacking layer and said adhesive layer;

said ink layer having a greater adhesion to said second wall than to said first wallbacking layer in regions overlying said release material, and having a lower adhesion to said second wall than to said first wallbacking layer in regions

Application No.: 10/603,345 Docket No.: SUPBAG 3.0-001

not overlying said release material so that, upon separation of said first wallbacking layer from said second wall, portions of said ink layer will separate from said first wallbacking layer while a remainder of said ink layer will not separate from said first wallbacking layer, whereby said predetermined pattern will be visible in said indicator.

- (currently amended) The tamper-indicating bag as claimed in claim 1, wherein said first wallbacking layer is at partially transparent a region in overlies overlapping with said indicatorink layer in said sealed condition of said enclosure.
- (currently amended) The tamper-indicating bag as claimed in claim 1, wherein said predetermined pattern of said release material is different from said selected pattern of said plurality of void spaces devoid of ink.
- (currently amended) The tamper-indicating bag as claimed in claim 1, wherein said tamper-evident indicator has a first visual appearance in an initial sealed condition of said enclosure, and has a visual appearance upon separation of said first-wallbacking layer from said second wall which is different from said first visual appearance.
- (original) The tamper-indicating bag as claimed in claim 4, further comprising a preprinted graphic on one of said first and second walls, said preprinted graphic having an appearance which is the same as said first visual appearance of said tamper-evident indicator.

Application No.: 10/603,345 Docket No.: SUPBAG 3.0-001

(currently amended) The tamper-indicating bag as claimed in claim 1, wherein said predetermined pattern of said release material at least partially overlaps with said selected pattern of said plurality of void spaces devoid of ink.

## (cancelled) 7.

(currently amended) A tamper-indicating bag, comprising:

first and second walls joined together along spaced joining lines to form an enclosure having an open end;

a tape secured to said first wall, said tape being spaced from said second wall in an open condition of said enclosure and being secured to said second wall in a sealed condition of said enclosure;

said tape including an elongated flexible strip, a layer of a release material disposed in a predetermined pattern on said strip so as to define first regions in which said release material is present and second regions in which said release material is not present, and a layer of ink disposed on said strip in overlying relationship toover said release material layer, said ink layer including a plurality of void spaces devoid of ink arranged in a selected pattern which is out of registry with said predetermined pattern of said release material so as to define regions of varying shape in which said ink overlies said release material and regions of varying shape in which said ink does not overlie said release material;

a layer of adhesive adapted to secure said tape to said second wall in said sealed condition of said enclosure so that said ink layer is disposed between said strip and said adhesive layer;

said ink layer having a greater adhesion to said second wall than to said strip in regions overlying said release material, and having a lower adhesion to said second wall than to said strip in regions not overlying said release material so that, upon separation of said strip from said second wall, portions of said ink layer will separate from said strip while a remainder of said ink layer will not separate from said strip, whereby said predetermined pattern will be visible in said tape.

- (original) The tamper-indicating bag as claimed wherein said strip is at least partially claim 8, transparent.
- (currently amended) The tamper-indicating bag as claimed in claim 8, wherein said predetermined pattern of said release material is different from said selected pattern of said plurality of void spaces devoid of ink.
- (original) The tamper-indicating bag as claimed 11. in claim 8, wherein said tape has a first visual appearance in an initial sealed condition of said enclosure, and has a visual appearance upon separation of said tape from said second wall which is different from said first visual appearance.
- 12. (original) The tamper-indicating bag as claimed in claim 11, further comprising a preprinted graphic on one of said first and second walls, said preprinted graphic having an appearance which is the same as said first visual appearance of said tape.

Application No.: 10/603,345

13. (currently amended) The tamper-indicating bag as claimed in claim 8, wherein said predetermined pattern of said release material at least partially overlaps with said selected pattern of said plurality of void spaces devoid of ink.

## 14. (cancelled)

- 15. (currently amended) A tamper-indicating tape for providing a closure seal for a container, said tape comprising:
- an elongate, flexible strip having first and second
  sides;
- a layer of a release material disposed in a predetermined pattern on said first side of said strip so as to define first regions in which said release material is present and second regions in which said release material is not present;
- a layer of ink disposed on said first side of said strip in overlying relationship to over said release material layer, said ink layer including a plurality of void spaces devoid of ink arranged in a selected pattern which is out of registry with said predetermined pattern of said release material so as to define regions of varying shape in which said ink overlies said release material and regions of varying shape in which said ink does not overlie said release material; and
- a layer of adhesive overlying disposed over said ink layer;

said ink layer having a greater adhesion to said adhesive layer than to said strip in regions overlying said release material, and having a lower adhesion to said adhesive layer than to said strip in regions not overlying said release material so that, upon separation of said tape from the

Application No.: 10/603,345

container, portions of said ink layer will separate from said strip while a remainder of said ink layer will not separate from said strip, whereby said predetermined pattern will be visible in said tape.

- 16. (original) The tamper-indicating tape as claimed in claim 15, wherein said strip is at least partially transparent.
- 17. (currently amended) The tamper-indicating tape as claimed in claim 15, wherein said predetermined pattern of said release material is different from said selected pattern of said plurality of void spaces devoid of ink.
- 18. (original) The tamper-indicating tape as claimed in claim 15, wherein said tape has a first visual appearance as initially applied to the container, and has a visual appearance upon separation of said tape from the container which is different from said first visual appearance.
- 19. (currently amended) The tamper-indicating tape as claimed in claim 15, wherein said predetermined pattern of said release material at least partially overlaps with said selected pattern of said plurality of void—spaces devoid of ink.

## 20. (cancelled)